

SECTION	83	84	85	86	87	88	89/90	90/91	91/92	92/93	93/94	94/95	95/96	96/97	97/98	98/99	99/00	00/01	01/02	02/03	03/04	04/05	05/06	06/07	07/08	08/09	09/10	10/11	11/12
IMMUNISATIONS																	X				X	X							
Children <2 in household																	X				X	X							
Awareness of immunisations																	X				X	X							
Safety, protection																	X				X	X							
Vaccinations missed																	X				X	X							
Information provided/discussion benefits																	X				X	X							
Agreement with full immunisation																	X				X	X							
*Adults & Child Health/+Children only																					X	X							
BREASTFEEDING																													
Children <2 in household																													
Whether child was breastfed for first feed, at 2 weeks, 6																							X						
SMOKING																													
Type of cigarettes smoked	X	X		X		X		X		X		X		X		X		X		X		X		X	X	X	X	X	X
Age when started to smoke regularly																								X		X			
Number of cigarettes smoked per day	X	X		X		X		X		X		X		X		X		X		X		X		X		X			
Tar content of cigarettes smoked	X	X		X		X		X		X		X		X		X		X		X		X		X		X			
Brand of cigarettes smoked				X		X		X		X		X		X		X		X		X		X		X		X			
Number smoked per day when smoked regularly	X	X		X		X		X		X		X		X		X		X		X		X		X		X			
How long ago stopped smoking cigarettes regularly	X	X		X		X		X		X		X		X		X		X		X		X		X	X	X	X	X	X
Whether smoke at least one cigar a week	X	X		X		X		X		X		X		X		X		X		X		X		X		X	X	X	X
Whether smoke a pipe	X	X		X		X		X		X		X		X		X		X		X		X		X		X			
Whether thinks smoking can damage health	X	X		X		X		X		X		X		X		X		X		X		X		X	X	X			
What would persuade give up																				X		X		X	X	X			
Whether ever tried to quit smoking																									X				
Length of time since quit attempt																									X				
Methods used to help quit smoking																										X			
Whether passive smoking damages health																									X	X			
Definition of workplace																										X			
Attitude to smoking ban																									X	X			
Illnesses caused by smoking																									X	X			
Attitudes to smoking in public places																										X			
Smoking in the home and family cars																										X			
Factors consider quit smoking																										X			
Use of nicotine replacement therapies																													
DRINKING																													
Does respondent drink alcohol		X		X		X		X		X		X		X		X		X		X		X		X		X		X	X
Level of alcohol consumption		X		X		X		X		X		X		X		X		X		X		X		X		X			
Types of alcohol consumed		X		X		X		X		X		X		X		X		X		X		X		X		X			
How often alcohol consumed		X		X		X		X		X		X		X		X		X		X		X		X		X			
Whether think drinking can damage health		X		X		X		X		X		X		X		X		X		X		X		X		X			
Reasons why person never drinks		X																											
Whether consumes less than weekly amount										X		X		X		X		X		X		X		X		X		X	X
Whether they drink and drive												X		X		X		X		X		X		X		X			
DRUG USE																													
Ever used drugs																					X		X		X				
Use last 12 months																				X		X		X					
Use and freq last 4 weeks																				X		X		X					
Drug Driving																				X		X		X					
Easy to obtain Illicit Drugs																				X		X		X					
ELDERLY																													
Persons aged 65 and over																													
Difficulty with sight and whether wears glasses			X									X				X								X					
Difficulty with hearing and whether wears aid			X									X				X								X					
Whether need help in getting about inside the house and			X									X				X								X					
Frequency of social contacts with relatives and friends			X									X				X								X					
Whether uses DHSS services and how often												X				X								X					
Type of accommodation												X				X								X					

